

MATERIAL SAFETY DATA SHEET
Rockler Companies Incorporated

SECTION 1: Material Identification

Material Name: Anti-Slip Coating

Rockler SKU: 38542

Revision Date: 2-11-2002

Material Description: Aqueous solution of carboxylated styrene-butadiene copolymer

HMIS Ratings

Health: 1

Flammability: 0

Reactivity: 0

Manufacturer:

Rockler Companies Incorporated
4365 Willow Drive
Medina, MN 55340
(763) 478-8201

Emergency Phone Number:

(763) 478-8201

SECTION 2: Composition/Information on Ingredients

CAS #	Chemical Name	Percent	TLV	PEL	Cancer
7732-18-5	Water	0.00%	Not established	Not established	No
Proprietary	Carboxylated styrene-butadiene copolymer	0.00%	Not established	Not established	No

SECTION 3: Hazards Identification

* Emergency Overview *

Gray, black or white liquid, bland odor.

Potential Health Effects:

Eyes: Irritation

Skin: Irritation

Inhalation: Irritation

Ingestion: Irritation

Effects of Chronic Overexposure: None listed

Material Exposure Limits: See Section 2 for information on ingredients.

Routes of Entry: Contact, ingestion

Target Organs: Eyes, skin

Cancer Rating: This material does not contain more than 0.1% of any chemical listed by NTP, IARC or OSHA as being carcinogenic.

Additional Information: None

SECTION 4: First Aid Measures

Eyes: Immediately flush eyes with plenty of water. Seek medical attention if irritation persists.

Skin: Remove contaminated clothing. Wash with soap and water. Seek medical attention if necessary.

Inhalation: If exposed to excessive levels, remove to fresh air. Seek medical attention if necessary.

Ingestion: Do not induce vomiting. Seek medical attention if necessary.

SECTION 5: Fire Fighting Measures

Flash Point: NA

Method Used: NA

Flammable Limits (Percentage in air):

UEL: NA

LEL: NA

Extinguishing Media:

Control Measures: Use SCBA and full protective equipment. Water may be ineffective. Use water spray to cool containers.

Unusual Hazards: Not applicable

SECTION 6: Accidental Release Measures

Spills: Use personal protective equipment. Ventilate area. For small spills, dilute with water and mop up or absorb spilled material with an inert material such as sand, clay, etc. Flush area with water.

Releases to the air: Not applicable

SECTION 7: Handling and Storage

Handling: Avoid personal contact. Use with adequate ventilation. Wash after handling.

Storage requirements: Keep from freezing.

SECTION 8: Exposure Controls and Personal Protection

Protective equipment:*

Eyes: Safety glasses or chemical goggles

Skin: Impervious gloves should be worn to prevent prolonged or repeated skin contact

Respiratory: A NIOSH/MSHA approved air-purifying respirator if exposure limits exceeded

Ventilation: Good general ventilation should be sufficient to control airborne levels.

Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Additional information: None

*Protective equipment should be determined by conditions of exposure.

SECTION 9: Physical and Chemical Properties

Appearance and Odor: Viscous gray, black or white liquid, bland odor

Specific gravity (water = 1): 1.01

Boiling point: 212.0 °F

Melting/freezing point: 32.0 °F

Percent volatile: 49.0-51.0% (w/w)

Vapor pressure: < 17.5 mm Hg @ 68.0 °F

Vapor density (air = 1): > 1.0

Evaporation rate: ND

pH: 7.0 @ 1.0% solution

Solubility in water: Soluble

SECTION 10: Stability and Reactivity

Stability: Stable

Conditions to avoid: Not applicable

Hazardous polymerization: Not applicable

Conditions to avoid: Not applicable

Incompatibility: None listed

Hazardous decomposition products: Not determined

Unusual Hazards: Not applicable

SECTION 11: Toxicological Information

No information available at this time.

SECTION 12: Ecological Information

No information available at this time.

SECTION 13: Disposal Procedures

Material and containers should be disposed in accordance with local, state and federal regulations.

SECTION 14: Transportation Information

DOT Hazard Classification: ORM-D

SECTION 15: Regulatory Information

Chemical Name	SARA 302	SARA 304	SARA 313	RCRA
Water	No	No	No	No
Carboxylated styrene-butadiene copolymer	No	No	No	No

California Proposition 65: This product contains NO chemicals known to the State of California to cause cancer or to cause birth defects or other reproductive harm.

SECTION 16: Other Information**Abbreviations:**

- NA - Not applicable
- ND - Not determined

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Rockler Companies Incorporated. The data on this sheet related only to the specific material designated herein. Rockler Companies Incorporated assumes no legal responsibility for use or reliance upon these data.

End of MSDS
Rockler Companies Incorporated